

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							

Reps: 4 Plots: 6 by 25 feet
Mix Size: 1.5 L

Trt No.	Treatment Name	Form	Form Conc	Form Rate	Form Unit	Form Stg	Form Appl Code	Form Appl. Amount	Amt Product to Measure	Diluent	Rep 1	2	3	4
1	NTC									-	101	203	301	402
2	PROWL H20	3.8 EC	32.0 oz/a	PPI	A	15 GPA	25.0 mL/mx	1475 mL	102	209	304	405		
	BRAKE	1.2 SC	12.0 oz/a	PRE	B	15 GAL/AC	9.375 mL/mx	1490.5 mL						
	STRONGARM	84 WG	0.225 oz/a	PRE	B	15 GAL/AC	0.1685 g/mx	1462.1 mL						
	CADRE	2 AS	4.0 oz/a	POST	C	15 GAL/AC	3.125 mL/mx							
	COBRA	2 EC	12.5 oz/a	POST	C	15 GAL/AC	9.766 mL/mx							
	BUTYRAC 200	2 SL	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx							
DUAL MAGNUM	7.62 EC	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
3	PROWL H20	3.8 EC	32.0 oz/a	PRE	B	15 GAL/AC	25.0 mL/mx	1465.5 mL	103	212	307	408		
	BRAKE	1.2 SC	12.0 oz/a	PRE	B	15 GAL/AC	9.375 mL/mx	1462.1 mL						
	STRONGARM	84 WG	0.225 oz/a	PRE	B	15 GAL/AC	0.1685 g/mx							
	CADRE	2 AS	4.0 oz/a	POST	C	15 GAL/AC	3.125 mL/mx							
	COBRA	2 EC	12.5 oz/a	POST	C	15 GAL/AC	9.766 mL/mx							
	BUTYRAC 200	2 SL	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx							
DUAL MAGNUM	7.62 EC	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
4	PROWL H20	3.8 EC	32.0 oz/a	PPI	A	15 GPA	25.0 mL/mx	1475 mL	104	205	311	407		
	BRAKE	1.2 SC	12.0 oz/a	PRE	B	15 GAL/AC	9.375 mL/mx	1488.3 mL						
	VALOR EZ	4.0 SC	3.0 oz/a	PRE	B	15 GAL/AC	2.344 mL/mx	1462.1 mL						
	CADRE	2 AS	4.0 oz/a	POST	C	15 GAL/AC	3.125 mL/mx							
	COBRA	2 EC	12.5 oz/a	POST	C	15 GAL/AC	9.766 mL/mx							
	BUTYRAC 200	2 SL	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx							
DUAL MAGNUM	7.62 EC	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
5	PROWL H20	3.8 EC	32.0 oz/a	PRE	B	15 GAL/AC	25.0 mL/mx	1463.3 mL	105	202	306	411		
	BRAKE	1.2 SC	12.0 oz/a	PRE	B	15 GAL/AC	9.375 mL/mx	1462.1 mL						
	VALOR EZ	4.0 SC	3.0 oz/a	PRE	B	15 GAL/AC	2.344 mL/mx							
	CADRE	2 AS	4.0 oz/a	POST	C	15 GAL/AC	3.125 mL/mx							
	COBRA	2 EC	12.5 oz/a	POST	C	15 GAL/AC	9.766 mL/mx							
	BUTYRAC 200	2 SL	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx							
DUAL MAGNUM	7.62 EC	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
6	PROWL H20	3.8 EC	32.0 oz/a	PPI	A	15 GPA	25.0 mL/mx	1475 mL	106	204	308	412		
	BRAKE	1.2 SC	8.0 oz/a	PRE	B	15 GAL/AC	6.25 mL/mx	1492.4 mL						
	VALOR EZ	4.0 SC	1.5 oz/a	PRE	B	15 GAL/AC	1.172 mL/mx	1462.1 mL						
	STRONGARM	84 WG	0.225 oz/a	PRE	B	15 GAL/AC	0.1685 g/mx							
	CADRE	2 AS	4.0 oz/a	POST	C	15 GAL/AC	3.125 mL/mx							
	COBRA	2 EC	12.5 oz/a	POST	C	15 GAL/AC	9.766 mL/mx							
BUTYRAC 200	2 SL	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
DUAL MAGNUM	7.62 EC	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
7	PROWL H20	3.8 EC	32.0 oz/a	PRE	B	15 GAL/AC	25.0 mL/mx	1467.4 mL	107	206	302	410		
	BRAKE	1.2 SC	8.0 oz/a	PRE	B	15 GAL/AC	6.25 mL/mx	1462.1 mL						
	VALOR EZ	4.0 SC	1.5 oz/a	PRE	B	15 GAL/AC	1.172 mL/mx							
	STRONGARM	84 WG	0.225 oz/a	PRE	B	15 GAL/AC	0.1685 g/mx							
	CADRE	2 AS	4.0 oz/a	POST	C	15 GAL/AC	3.125 mL/mx							
	COBRA	2 EC	12.5 oz/a	POST	C	15 GAL/AC	9.766 mL/mx							
BUTYRAC 200	2 SL	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
DUAL MAGNUM	7.62 EC	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
8	PROWL H20	3.8 EC	32.0 oz/a	PPI	A	15 GPA	25.0 mL/mx	1475 mL	108	201	309	404		
	BRAKE	1.2 SC	12.0 oz/a	PRE	B	15 GAL/AC	9.375 mL/mx	1488.1 mL						
	VALOR EZ	4.0 SC	3.0 oz/a	PRE	B	15 GAL/AC	2.344 mL/mx	1462.1 mL						
	STRONGARM	84 WG	0.225 oz/a	PRE	B	15 GAL/AC	0.1685 g/mx							
	CADRE	2 AS	4.0 oz/a	POST	C	15 GAL/AC	3.125 mL/mx							
	COBRA	2 EC	12.5 oz/a	POST	C	15 GAL/AC	9.766 mL/mx							
BUTYRAC 200	2 SL	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								
DUAL MAGNUM	7.62 EC	16.0 oz/a	POST	C	15 GAL/AC	12.5 mL/mx								

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT														
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO								
Location:		PONDER FARM		Investigator:		Eric P. Prostko								
Reps: 4		Plots: 6 by 25 feet												
		Mix Size: 1.5 L												
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	Appl Code	Appl. Amount	Amt Product to Measure	Diluent	Rep 1	2	3	4
9	PROWL H20	3.8	EC	32.0	oz/a	PRE	B	15 GAL/AC	25.0 mL/mx	1463.1 mL	109	207	303	401
	BRAKE	1.2	SC	12.0	oz/a	PRE	B	15 GAL/AC	9.375 mL/mx					
	VALOR EZ	4.0	SC	3.0	oz/a	PRE	B	15 GAL/AC	2.344 mL/mx					
	STRONGARM	84	WG	0.225	oz/a	PRE	B	15 GAL/AC	0.1685 g/mx					
	CADRE	2	AS	4.0	oz/a	POST	C	15 GAL/AC	3.125 mL/mx					
	COBRA	2	EC	12.5	oz/a	POST	C	15 GAL/AC	9.766 mL/mx					
	BUTYRAC 200	2	SL	16.0	oz/a	POST	C	15 GAL/AC	12.5 mL/mx					
DUAL MAGNUM	7.62	EC	16.0	oz/a	POST	C	15 GAL/AC	12.5 mL/mx	1462.1 mL	110	211	312	406	
PROWL H20	3.8	EC	32.0	oz/a	PPI	A	15 GPA	25.0 mL/mx						
VALOR EZ	4.0	SC	3.0	oz/a	PRE	B	15 GAL/AC	2.344 mL/mx						
STRONGARM	84	WG	0.225	oz/a	PRE	B	15 GAL/AC	0.1685 g/mx						
CADRE	2	AS	4.0	oz/a	POST	C	15 GAL/AC	3.125 mL/mx						
COBRA	2	EC	12.5	oz/a	POST	C	15 GAL/AC	9.766 mL/mx						
BUTYRAC 200	2	SL	16.0	oz/a	POST	C	15 GAL/AC	12.5 mL/mx						
DUAL MAGNUM	7.62	EC	16.0	oz/a	POST	C	15 GAL/AC	12.5 mL/mx	1462.1 mL	111	210	305	409	
PROWL H20	3.8	EC	32.0	oz/a	PRE	B	15 GAL/AC	25.0 mL/mx						
VALOR EZ	4.0	SC	3.0	oz/a	PRE	B	15 GAL/AC	2.344 mL/mx						
STRONGARM	84	WG	0.225	oz/a	PRE	B	15 GAL/AC	0.1685 g/mx						
CADRE	2	AS	4.0	oz/a	POST	C	15 GAL/AC	3.125 mL/mx						
COBRA	2	EC	12.5	oz/a	POST	C	15 GAL/AC	9.766 mL/mx						
BUTYRAC 200	2	SL	16.0	oz/a	POST	C	15 GAL/AC	12.5 mL/mx						
DUAL MAGNUM	7.62	EC	16.0	oz/a	POST	C	15 GAL/AC	12.5 mL/mx	-	112	208	310	403	
12	NTC													

Sort Order: Treatment

Trial Comments

DIGGING DATE: 09/18/25 (141 DAYS)
 HARVEST DATE: 09/22/25
 HARVEST MOISTURE:11.5%
 YIELDS ADJUSTED TO 10% MOISTURE
 2% YIELD DEDUCTION FOR FM

MISSING YIELD DATA IN PLOTS 109, 206, AND 209 DUE TO BAGGING ERROR.

SUMMARY:

- 1) PROWL + BRAKE + STRONGARM PROGRAMS WERE LESS INJURIOUS THAN PROWL + BRAKE + VALOR PROGRAMS.
- 2) NO DIFFERENCES IN CROP INJURY OR WEED CONTROL WERE OBSERVED BETWEEN PPI AND PRE APPLICATIONS OF PROWL.
- 3) GENERALLY, ALL TREATMENTS PROVIDED AT LEAST 92% CONTROL OF ALL WEEDS EXCEPT FOR YELLOW NUTSEDGE.
- 4) YELLOW NUTSEDGE CONTROL WAS GREATER THAN 80% WITH ALL PRE TREATMENTS EXCEPT THOSE THAT DID NOT INCLUDE STRONGARM.
- 5) WEED CONTROL WITH VALOR @ 1.5 OZ/A + BRAKE @ 8 OZ/A + STRONGARM @ 0.225 OZ/A WAS EQUIVALENT TO VALOR @ 3 OZ/A + BRAKE @ 12 OZ/A + STRONGARM @ 0.225 OZ/A.
- 6) ALL HERBICIDE TREATMENTS RESULTED IN GREATER YIELDS THAN THE NTC. THERE WERE A FEW DIFFERENCES IN YIELD BETWEEN CERTAIN TREATMENTS AS FOLLOWS:
 - A) TREATMENT#8 HAD HIGHER YIELDS THAN ALL TREATMENTS EXCEPT FOR TREATMENT#9. BOTH #8 AND #9 HAD VALOR @ 3 OZ/A + BRAKE @ 12 OZ/A + STRONGARM @ 0.225 OZ/A.
 - B) TREATMENT#9 HAD HIGHER YIELDS THAN TREATMENTS #3 AND #4. TREATMENTS #3 AND #4 ONLY HAD BRAKE @ 12 OZ/A + STRONGARM @ 0.225 OZ/A OR BRAKE @ 12 OZ/A + VALOR @ 3 OZ/A (2-WAY VS 3-WAY MIX)

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT

Trial ID: PE-07-25 Study Dir.: K. BRISCO
Location: PONDER FARM Investigator: Eric P. Prostko

C) TREATMENT#10 HAD HIGHER YIELDS THAN TREATMENT#4. VALOR @ 3 OZ/A + STRONGARM @ 0.225 OZ/A VS. BRAKE @ 12 OZ/A + VALOR @ 3 OZ/A.

Study Director: C. ABBOTT Title: _____
Affiliation: _____
Postal Code: _____

Investigator: Eric P. Prostko Title: _____
Affiliation: _____
Postal Code: _____

TRIAL LOCATION

City: _____ Trial Status: E
State/Prov.: _____ Trial Reliability: _____
Postal Code: _____ Initiation Date: _____
Country: _____ Planned Completion Date: _____
E-Longitude of LL Corner °: _____ N-Latitude of LL Corner °: _____
Altitude of LL Corner: _____ Unit: _____ Angle y-axis to North °: _____
Directions: _____

COOPERATOR/LANDOWNER

Cooperator: _____ Country: _____
Org: _____ Phone No: _____
Address 1: _____ Fax No: _____
Address 2: _____
City: _____
State/Prov: _____
Postal Code: _____

Conducted Under GLP (Y/N): N Conducted Under GEP (Y/N): N
Guidelines: _____ Guideline Description: _____

Objective: _____

Conclusions: _____

CROP AND WEED DESCRIPTION

Weed	Code	Common Name	Scientific Name
1.	AGRASS	TX	PAN/CRAB/GOOSE/CROW
2.	AMAPA	PA	LMER AMARANTH
3.	RAPRA	WI	LD RADISH
4.	CYPES	NU	TSEDGE SP.
5.	MOLVE	CA	RPETWEED
6.	IAQTA	SM	ALLFLOWER MG
7.	IPOLA	PI	TTED MG

Crop 1: ARAHY PEANUT Variety: GA-06G
Planting Date: May-1-25 Planting Method: MONOSEM
Rate: 3.5 SEED/FT Depth: 2 IN Perennial Age: _____
Row Spacing: _____ Spacing Within Row: _____ Seed Bed: _____
Soil Temperature: _____ Soil Moisture: _____ Emergence Date: _____

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT			
Trial ID:	PE-07-25	Study Dir.:	K. BRISCO
Location:	PONDER FARM	Investigator:	Eric P. Prostko

Plot Width, Unit: 6 FT Plot Length, Unit: 25 FT Reps: 4
Site Type:
Tillage Type: CONVENTIONAL Study Design: RACOB

Trial Initiation Comments:

	Previous Crops	Previous Pesticides	Year
1.	CORN		2024

MAINTENANCE

Field Prep./Maintenance: 750 LBS/A 5-15-30 - PREPLANT
36"-9" TWIN ROWS
RANCONVA VPD SED TREATMENT
THIMET 20G INFR @ 7.5 LBS/A

No.	Date	Maintenance Treatment Name	Form Conc	Form Unit	Form Type	Rate	Rate Unit
1.							

% Sand: 94 % OM: 0.64 Texture: SAND
% Silt: 4 pH: 6.0 Soil Name: TIFTON
% Clay: 2 CEC: 2.8 Fert. Level: GOOD

ADDITIONAL MEASURED ELEMENTS

Element	Quantity	Unit

MOISTURE CONDITIONS

	Date	Time	Amount	Unit	Type	Interval	Unit
1.	May-1-25		0.50	IN	SPRINKLER - LATERAL MOVE		
2.	May-3-25		0.50	IN	SPRINKLER - LATERAL MOVE		
3.	May-6-25		0.50	IN	SPRINKLER - LATERAL MOVE		
4.	May-9-25		0.47	IN	RAINFALL		
5.	May-10-25		0.11	IN	RAINFALL		
6.	May-11-25		0.42	IN	RAINFALL		
7.	May-16-25		0.50	IN	SPRINKLER - LATERAL MOVE		
8.	May-18-25		0.15	IN	RAINFALL		
9.	May-21-25		0.30	IN	RAINFALL		
10.	May-23-25		0.50	IN	SPRINKLER - LATERAL MOVE		
11.	May-26-25		0.50	IN	SPRINKLER - LATERAL MOVE		
12.	May-26-25		0.12	IN	RAINFALL		
13.	May-27-25		0.10	IN	RAINFALL		
14.	May-28-25		0.09	IN	RAINFALL		
15.	May-28-25		0.50	IN	SPRINKLER - LATERAL MOVE		
16.	May-29-25		0.70	IN	RAINFALL		
17.	Jun-4-25		0.38	IN	RAINFALL		
18.	Jun-5-25		0.57	IN	RAINFALL		
19.	Jun-9-25		0.30	IN	SPRINKLER - LATERAL MOVE		
20.	Jun-9-25		0.40	IN	RAINFALL		
21.	Jun-10-25		0.20	IN	RAINFALL		
22.	Jun-11-25		0.20	IN	RAINFALL		
23.	Jun-13-25		0.50	IN	SPRINKLER - LATERAL MOVE		

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT

Trial ID:PE-07-25

Study Dir.:K. BRISCO

Location:PONDER FARM

Investigator:Eric P. Prostko

	Date	Time	Amount	Unit	Type	Interval	Unit
24.	Jun-14-25		0.20	IN	RAINFALL		
25.	Jun-15-25		0.65	IN	RAINFALL		
26.	Jun-19-25		0.20	IN	RAINFALL		
27.	Jul-19-25		0.50	IN	SPRINKLER - LATERAL MOVE		
28.	Jun-23-25		0.50	IN	SPRINKLER - LATERAL MOVE		
29.	Jun-26-25		0.65	IN	RAINFALL		

Overall Moisture Conditions:

Closest Weather Station:

Distance:

Unit:

APPLICATION DESCRIPTION			
	A	B	C
Application Date:	May-1-25	May-2-25	Jun-12-25
Time of Day:	6:30 AM	6:30 AM	7:30 AM
Application Method:	BROADCAST	BROADCAST	BROADCAST
Application Timing:	PPI	PRE	POST
Applic. Placement:	SOIL	SOIL	FOLIAGE
Air Temp., Unit:	63 F	64 F	72 F
% Relative Humidity:	91	98	99
Wind Velocity, Unit:	0 MPH	0 MPH	0 MPH
Dew Presence (Y/N):	N	N	Y
Water Hardness:	--	--	--
Soil Temp., Unit:	70 F	68 F	75 F
Soil Moisture:	OPTIMUM	OPTIMUM	OPT-WET
% Cloud Cover:	0	5	5

CROP STAGE AT EACH APPLICATION			
	A	B	C
Crop 1 Code, Stage:	ARAHY,	ARAHY,	ARAHY,
Stage Scale:			R1-R2
Height, Unit:			7, IN

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT

Trial ID: PE-07-25 Study Dir.: K. BRISCO
 Location: PONDER FARM Investigator: Eric P. Prostko

WEED STAGE AT EACH APPLICATION

	A	B	C
Weed 1 Code, Stage:	AGRAS,	AGRAS,	AGRAS,
Stage Scale:			
Density, Unit:			3-6"
Weed 2 Code, Stage:	AMAPA,	AMAPA,	AMAPA,
Stage Scale:			
Density, Unit:			
Weed 3 Code, Stage:	RAPRA,	RAPRA,	RAPRA,
Stage Scale:			
Density, Unit:			12"
Weed 4 Code, Stage:	CYPES,	CYPES,	CYPES,
Stage Scale:			
Density, Unit:			6-8"
Weed 5 Code, Stage:	MOLVE,	MOLVE,	MOLVE,
Stage Scale:			
Density, Unit:			
Weed 6 Code, Stage:	IAQTA,	IAQTA,	IAQTA,
Stage Scale:			
Density, Unit:			
Weed 7 Code, Stage:	IPOLA,	IPOLA,	IPOLA,
Stage Scale:			
Density, Unit:			

APPLICATION EQUIPMENT

	A	B	C
Appl. Equipment:	BACKPACK	SAME AS A	SAME AS A
Operating Pressure:	38		
Nozzle Type:	AIXR		
Nozzle Size:	11002		
Nozzle Spacing, Unit:	20 IN		
Nozzles/Row:			
Band Width, Unit:			
Boom Length, Unit:	20 IN		
Boom Height, Unit:	20 IN		
Ground Speed, Unit:	3.5 MPH		
Incorporation Equip.:			
Hours to Incorp.:			
Incorp. Depth, Unit:			
Carrier:	WATER		
Spray Volume, Unit:	15 GPA		
Spray pH:			
Propellant:	CO2		
Tank Mix (Y/N):			

Trt No	Treatment Application Comment

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code						----	-----	Amapa	Rapra	Agrass	-----	-----	
Crop Code						Arahy	Arahy	-----	-----	-----	Arahy	Arahy	
Rating Data Type						Stunting	Bleaching	Control	Control	Control	Stunting	Bleaching	
Rating Unit						%	%	%	%	%	%	%	
Rating Date						May-12-25	May-12-25	May-12-25	May-12-25	May-12-25	May-20-25	May-20-25	
Trt	Treatment	Form	Form	Rate	Grow	1	2	3	4	5	6	7	
No.	Name	Conc	Type	Rate	Unit Stg								
1	NTC					0.0 d	0.0 b	0.0 na	0.0 c	0.0 na	0.0 e	0.0 c	
2	PROWL H20	3.8	EC	32.0 oz/a	PPI	17.5 c	3.8 a	99.0 na	91.0 b	99.0 na	8.8 d	5.0 a	
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
3	PROWL H20	3.8	EC	32.0 oz/a	PRE	17.5 c	2.5 a	99.0 na	95.5 a	99.0 na	8.8 d	2.5 b	
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
4	PROWL H20	3.8	EC	32.0 oz/a	PPI	26.3 ab	0.0 b	99.0 na	99.0 a	99.0 na	16.3 bc	0.0 c	
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
5	PROWL H20	3.8	EC	32.0 oz/a	PRE	27.5 ab	0.0 b	99.0 na	99.0 a	99.0 na	17.5 bc	0.0 c	
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
6	PROWL H20	3.8	EC	32.0 oz/a	PPI	20.0 c	0.0 b	99.0 na	99.0 a	99.0 na	13.8 cd	0.0 c	
	BRAKE	1.2	SC	8.0 oz/a	PRE								
	VALOR EZ	4.0	SC	1.5 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
7	PROWL H20	3.8	EC	32.0 oz/a	PRE	22.5 bc	0.0 b	99.0 na	99.0 a	99.0 na	18.8 abc	0.0 c	
	BRAKE	1.2	SC	8.0 oz/a	PRE								
	VALOR EZ	4.0	SC	1.5 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									

Means followed by same letter or symbol do not significantly differ ($P=0.10$, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code						----	-----	Amapa	Rapra	Agrass	-----	-----	
Crop Code						Arahy	Arahy	-----	-----	-----	Arahy	Arahy	
Rating Data Type						Stunting	Bleaching	Control	Control	Control	Stunting	Bleaching	
Rating Unit						%	%	%	%	%	%	%	
Rating Date						May-12-25	May-12-25	May-12-25	May-12-25	May-12-25	May-20-25	May-20-25	
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit Stg	1	2	3	4	5	6	7	
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	28.8 a	0.0 b	99.0 na	99.0 a	99.0 na	23.8 a	0.0 c	
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	27.5 ab	0.0 b	99.0 na	99.0 a	99.0 na	18.8 abc	0.0 c	
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	30.0 a	0.0 b	99.0 na	99.0 a	99.0 na	18.8 abc	0.0 c	
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	31.3 a	0.0 b	99.0 na	99.0 a	99.0 na	20.0 ab	1.3 bc	
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
12	NTC					0.0 d	0.0 b	0.0 na	0.0 c	0.0 na	0.0 e	0.0 c	
LSD P=.10						5.48	1.35	.	3.56	.	5.59	1.35	
Standard Deviation						4.58	1.13	0.00	2.98	0.00	4.67	1.13	
CV						22.09	217.09	0.0	3.65	0.0	33.99	155.06	
Grand Mean						20.73	0.52	82.50	81.54	82.50	13.75	0.73	
Bartlett's X2^						23.838*	78.868*	.	93.505*	.	16.05	78.868*	
P(Bartlett's X2)						0.013*	0.00*	.	0.00*	.	0.139	0.00*	
Rank X2						.	.	.	.	.	.	.	
P(Rank X2)						.	.	.	.	.	.	.	
Skewness^						-0.5419	-1.1048*	.	-1.0905*	.	0.1906	1.1048*	
P(Skewness)^						0.1323	0.0031*	.	0.0034*	.	0.5926	0.0031*	
Kurtosis^						1.2929	6.3721*	.	8.3802*	.	0.1934	6.3721*	
P(Kurtosis)^						0.0692	0.0*	.	0.0*	.	0.7821	0.0*	
Replicate F						0.621	0.407	NaN	0.235	NaN	1.590	0.407	
Replicate Prob(F)						0.6066	0.7487	NaN	0.8714	NaN	0.2105	0.7487	
Treatment F						21.966	4.852	NaN	656.699	NaN	11.029	7.519	
Treatment Prob(F)						0.0001	0.0002	NaN	0.0001	NaN	0.0001	0.0001	

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID: PE-07-25		Study Dir.: K. BRISCO											
Location: PONDER FARM		Investigator: Eric P. Prostko											
Weed Code					Amapa	Rapra	Agrass	Molve	-----	Amapa	Rapra		
Crop Code					-----	-----	-----	-----	Arahy	-----	-----		
Rating Data Type					Control	Control	Control	Control	Bleaching	Control	Control		
Rating Unit					%	%	%	%	%	%	%		
Rating Date					May-20-25	May-20-25	May-20-25	May-20-25	May-29-25	May-29-25	May-29-25		
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	8	9	10	11	12	13	14
1	NTC						0.0 na	0.0 c	0.0 na	0.0 na	0.0 c	0.0 c	0.0 c
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	93.5 b	99.0 na	99.0 na	7.5 a	99.0 a	95.5 b
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	94.5 b	99.0 na	99.0 na	7.5 a	98.0 b	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	98.0 a	99.0 na	99.0 na	0.0 c	99.0 a	98.0 ab
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	98.0 a	99.0 na	99.0 na	0.0 c	99.0 a	97.0 ab
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 a	99.0 na	99.0 na	0.0 c	99.0 a	99.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE								
	VALOR EZ	4.0	SC	1.5 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 a	99.0 na	99.0 na	0.0 c	99.0 a	99.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE								
	VALOR EZ	4.0	SC	1.5 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code						Amapa	Rapra	Agrass	Molve	-----	Amapa	Rapra
Crop Code						-----	-----	-----	-----	Arahy	-----	-----
Rating Data Type						Control	Control	Control	Control	Bleaching	Control	Control
Rating Unit						%	%	%	%	%	%	%
Rating Date						May-20-25	May-20-25	May-20-25	May-20-25	May-29-25	May-29-25	May-29-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit Stg	8	9	10	11	12	13	14
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 a	99.0 na	99.0 na	1.3 bc	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 na	99.0 a	99.0 na	99.0 na	2.5 b	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 a	99.0 na	99.0 na	0.0 c	99.0 a	99.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
	11	PROWL H20	3.8	EC	32.0 oz/a							
VALOR EZ		4.0	SC	3.0 oz/a	PRE							
STRONGARM		84	WG	0.225 oz/a	PRE							
CADRE		2	AS	4.0 oz/a	POST							
COBRA		2	EC	12.5 oz/a	POST							
BUTYRAC 200		2	SL	16.0 oz/a	POST							
DUAL MAGNUM		7.62	EC	16.0 oz/a	POST							
12 NTC						0.0 na	0.0 c	0.0 na	0.0 na	0.0 c	0.0 c	0.0 c
LSD P=.10						.	3.25	.	.	2.33	0.69	2.63
Standard Deviation						0.00	2.72	0.00	0.00	1.95	0.58	2.20
CV						0.0	3.34	0.0	0.0	124.82	0.7	2.68
Grand Mean						82.50	81.50	82.50	82.50	1.56	82.42	81.96
Bartlett's X2^						.	50.258*	.	.	32.798*	64.208*	50.227*
P(Bartlett's X2)						.	0.00*	.	.	0.001*	0.00*	0.00*
Rank X2						.	.	.	.	.	.	.
P(Rank X2)						.	.	.	.	.	.	.
Skewness^						.	-1.8919*	.	.	1.3015*	-3.5949*	-2.8189*
P(Skewness)^						.	0.0*	.	.	0.0006*	0.0*	0.0*
Kurtosis^						.	7.57*	.	.	4.6803*	22.9943*	15.2265*
P(Kurtosis)^						.	0.0*	.	.	0.0*	0.0*	0.0*
Replicate F						NaN	0.811	NaN	NaN	1.598	1.000	1.075
Replicate Prob(F)						NaN	0.4967	NaN	NaN	0.2087	0.4051	0.3730
Treatment F						NaN	785.877	NaN	NaN	8.701	17785.000	1214.495
Treatment Prob(F)						NaN	0.0001	NaN	NaN	0.0001	0.0001	0.0001

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID: PE-07-25		Study Dir.: K. BRISCO											
Location: PONDER FARM		Investigator: Eric P. Prostko											
Weed Code					Agrass	Molve	laqta	Cypes	-----	Amapa	Rapra		
Crop Code					-----	-----	-----	-----	Arahy	-----	-----		
Rating Data Type					Control	Control	Control	Control	Bleaching	Control	Control		
Rating Unit					%	%	%	%		%	%		
Rating Date					May-29-25	May-29-25	May-29-25	May-29-25	Jun-4-25	Jun-4-25	Jun-4-25		
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	15	16	17	18	19	20	21
1	NTC						0.0 na	0.0 na	0.0 c	0.0 d	0.0 b	0.0 c	0.0 c
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	97.0 b	93.5 a	7.5 a	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a	79.8 ab	7.5 a	98.0 b	95.5 b
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	99.0 a	33.8 c	0.0 b	99.0 a	98.0 ab
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a	57.5 bc	0.0 b	99.0 a	95.8 b
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	99.0 a	94.8 a	1.3 b	99.0 a	99.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE								
	VALOR EZ	4.0	SC	1.5 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	98.0 ab	97.0 a	1.3 b	99.0 a	99.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE								
	VALOR EZ	4.0	SC	1.5 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT									
Trial ID: PE-07-25		Study Dir.: K. BRISCO							
Location: PONDER FARM		Investigator: Eric P. Prostko							
Weed Code				Agrass	Molve	laqta	Cypes	----- Arahy	Amapa
Crop Code				-----	-----	-----	-----	-----	-----
Rating Data Type				Control	Control	Control	Control	Bleaching	Control
Rating Unit				%	%	%	%		%
Rating Date				May-29-25	May-29-25	May-29-25	May-29-25	Jun-4-25	Jun-4-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	15	16	17
8	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	98.0 ab
	BRAKE	1.2	SC	12.0 oz/a	PRE				92.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE				1.3 b
	STRONGARM	84	WG	0.225 oz/a	PRE				99.0 a
	CADRE	2	AS	4.0 oz/a	POST				99.0 a
	COBRA	2	EC	12.5 oz/a	POST				
	BUTYRAC 200	2	SL	16.0 oz/a	POST				
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST				
9	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE				93.5 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE				1.3 b
	STRONGARM	84	WG	0.225 oz/a	PRE				99.0 a
	CADRE	2	AS	4.0 oz/a	POST				99.0 a
	COBRA	2	EC	12.5 oz/a	POST				
	BUTYRAC 200	2	SL	16.0 oz/a	POST				
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST				
10	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	98.0 ab
	VALOR EZ	4.0	SC	3.0 oz/a	PRE				86.0 a
	STRONGARM	84	WG	0.225 oz/a	PRE				0.0 b
	CADRE	2	AS	4.0 oz/a	POST				99.0 a
	COBRA	2	EC	12.5 oz/a	POST				99.0 a
	BUTYRAC 200	2	SL	16.0 oz/a	POST				
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST				
11	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE				94.5 a
	STRONGARM	84	WG	0.225 oz/a	PRE				0.0 b
	CADRE	2	AS	4.0 oz/a	POST				99.0 a
	COBRA	2	EC	12.5 oz/a	POST				99.0 a
	BUTYRAC 200	2	SL	16.0 oz/a	POST				
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST				
12	NTC						0.0 na	0.0 na	0.0 c
LSD P=.10							1.45	23.90	2.17
Standard Deviation							0.00	0.00	1.81
CV							0.0	0.0	108.71
Grand Mean							82.50	82.50	68.52
Bartlett's X2^									66.633*
P(Bartlett's X2)									0.00*
Rank X2									0.037*
P(Rank X2)									
Skewness^									0.793*
P(Skewness)^									-3.5949*
Kurtosis^									-2.418*
P(Kurtosis)^									0.0*
Replicate F									0.025
Replicate Prob(F)									0.9945
Treatment F									13.788
Treatment Prob(F)									0.0001

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code						Agrass	Molve	Ipola	Iaqt	Amapa	Rapra	Agrass
Crop Code						-----	-----	-----	-----	-----	-----	-----
Rating Data Type						Control	Control	Control	Control	Control	Control	Control
Rating Unit						%	%	%	%	%	%	%
Rating Date						Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-12-25	Jun-12-25	Jun-12-25
Trt	Treatment	Form	Form	Rate	Grow	22	23	24	25	26	27	28
No.	Name	Conc	Type	Rate	Unit Stg							
1	NTC					0.0 b	0.0 na	0.0 c	0.0 c	0.0 c	0.0 d	0.0 c
2	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 a	99.0 na	99.0 a	92.0 b	99.0 a	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
3	PROWL H20	3.8	EC	32.0 oz/a	PRE	98.0 a	99.0 na	98.0 a	99.0 a	98.0 b	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
4	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 a	99.0 na	99.0 a	99.0 a	99.0 a	97.0 b	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
5	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 a	99.0 na	95.8 b	97.0 a	99.0 a	94.8 c	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
6	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 a	99.0 na	99.0 a	99.0 a	99.0 a	99.0 a	96.0 b
	BRAKE	1.2	SC	8.0 oz/a	PRE							
	VALOR EZ	4.0	SC	1.5 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
7	PROWL H20	3.8	EC	32.0 oz/a	PRE	98.0 a	99.0 na	99.0 a	98.0 a	99.0 a	99.0 a	98.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE							
	VALOR EZ	4.0	SC	1.5 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code						Agrass	Molve	Ipola	Iaqtā	Amapa	Rapra	Agrass
Crop Code						-----	-----	-----	-----	-----	-----	-----
Rating Data Type						Control	Control	Control	Control	Control	Control	Control
Rating Unit						%	%	%	%	%	%	%
Rating Date						Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-12-25	Jun-12-25	Jun-12-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit Stg	22	23	24	25	26	27	28
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	98.0 a	99.0 na	99.0 a	99.0 a	99.0 a	99.0 a	98.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 a	99.0 na	99.0 a	98.0 a	99.0 a	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 a	99.0 na	99.0 a	98.0 a	99.0 a	99.0 a	99.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 a	99.0 na	99.0 a	97.0 a	99.0 a	99.0 a	99.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
12	NTC					0.0 b	0.0 na	0.0 c	0.0 c	0.0 c	0.0 d	0.0 c
LSD P=.10						1.18	.	1.58	3.20	0.69	1.46	1.18
Standard Deviation						0.99	0.00	1.32	2.68	0.58	1.22	0.99
CV						1.2	0.0	1.6	3.29	0.7	1.49	1.21
Grand Mean						82.25	82.50	82.15	81.33	82.42	81.98	82.08
Bartlett's X2^						42.099*	.	41.58*	35.842*	64.208*	41.338*	42.054*
P(Bartlett's X2)						0.00*	.	0.00*	0.00*	0.00*	0.00*	0.00*
Rank X2						.	.	.	.	.	.	.
P(Rank X2)						.	.	.	.	.	.	.
Skewness^						-1.9844*	.	-1.4115*	-0.0786	-3.5949*	-0.4445	-0.8171*
P(Skewness)^						0.0*	.	0.0002*	0.8252	0.0*	0.2151	0.0253*
Kurtosis^						5.5062*	.	9.9075*	3.4094*	22.9943*	8.6729*	5.37*
P(Kurtosis)^						0.0*	.	0.0*	0.0*	0.0*	0.0*	0.0*
Replicate F						1.247	NaN	1.802	1.270	1.000	1.734	1.247
Replicate Prob(F)						0.3083	NaN	0.1660	0.3006	0.4051	0.1790	0.3083
Treatment F						6026.567	NaN	3390.472	807.042	17785.000	3952.823	6004.546
Treatment Prob(F)						0.0001	NaN	0.0001	0.0001	0.0001	0.0001	0.0001

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code						Molve	Ipola	laqta	-----	Amapa	Rapra	Agrass
Crop Code						-----	-----	-----	Arahy	-----	-----	-----
Rating Data Type						Control	Control	Control	Necrosis	Control	Control	Control
Rating Unit						%	%	%	%	%	%	%
Rating Date						Jun-12-25	Jun-12-25	Jun-12-25	Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit Stg	29	30	31	32	33	34	35
1	NTC					0.0 na	0.0 c	0.0 c	0.0 na	0.0 c	0.0 c	0.0 b
2	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 a	96.8 b	15.0 na	99.0 a	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
3	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 na	99.0 a	99.0 a	15.0 na	98.0 b	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
4	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 a	99.0 a	15.0 na	99.0 a	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
5	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 na	95.5 b	99.0 a	15.0 na	99.0 a	98.0 b	98.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
6	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 a	96.8 b	15.0 na	99.0 a	99.0 a	98.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE							
	VALOR EZ	4.0	SC	1.5 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
7	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 na	99.0 a	99.0 a	15.0 na	99.0 a	99.0 a	98.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE							
	VALOR EZ	4.0	SC	1.5 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code					Molve	Ipola	laqta	-----	Amapa	Rapra	Agrass		
Crop Code					-----	-----	-----	Arahy	-----	-----	-----		
Rating Data Type					Control	Control	Control	Necrosis	Control	Control	Control		
Rating Unit					%	%	%	%	%	%	%		
Rating Date					Jun-12-25	Jun-12-25	Jun-12-25	Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25		
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	29	30	31	32	33	34	35
8	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 a	99.0 a	15.0 na	99.0 a	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
9	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 a	99.0 a	15.0 na	99.0 a	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
10	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	98.0 ab	99.0 a	15.0 na	99.0 a	99.0 a	99.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
11	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	98.0 ab	99.0 a	15.0 na	99.0 a	99.0 a	99.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
12 NTC						0.0 na	0.0 c	0.0 c	0.0 na	0.0 c	0.0 c	0.0 b	
LSD P=.10						.	2.57	2.23	.	0.69	0.69	1.18	
Standard Deviation						0.00	2.15	1.86	0.00	0.58	0.58	0.99	
CV						0.0	2.62	2.27	0.0	0.7	0.7	1.2	
Grand Mean						82.50	82.04	82.13	12.50	82.42	82.42	82.25	
Bartlett's X2^						.	47.26*	66.538*	.	64.208*	64.208*	42.099*	
P(Bartlett's X2)						.	0.00*	0.00*	.	0.00*	0.00*	0.00*	
Rank X2						.	.	.	.	.	.	.	
P(Rank X2)						.	.	.	.	.	.	.	
Skewness^						.	-2.9223*	-2.6516*	.	-3.5949*	-3.5949*	-1.9844*	
P(Skewness)^						.	0.0*	0.0*	.	0.0*	0.0*	0.0*	
Kurtosis^						.	16.1245*	10.7845*	.	22.9943*	22.9943*	5.5062*	
P(Kurtosis)^						.	0.0*	0.0*	.	0.0*	0.0*	0.0*	
Replicate F						NaN	1.314	0.647	NaN	1.000	1.000	1.247	
Replicate Prob(F)						NaN	0.2863	0.5904	NaN	0.4051	0.4051	0.3083	
Treatment F						NaN	1269.936	1693.588	NaN	17785.000	17785.000	6026.567	
Treatment Prob(F)						NaN	0.0001	0.0001	NaN	0.0001	0.0001	0.0001	

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code						Molve	laqta	Ipola	-----	Amapa	Rapra	Agrass
Crop Code						-----	-----	-----	Arahy	-----	-----	-----
Rating Data Type						Control	Control	Control	Necrosis	Control	Control	Control
Rating Unit						%	%	%		%	%	%
Rating Date						Jun-18-25	Jun-18-25	Jun-18-25	Jun-25-25	Jun-25-25	Jun-25-25	Jun-25-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit Stg	36	37	38	39	40	41	42
1	NTC					0.0 na	0.0 na	0.0 c	0.0 na	0.0 c	0.0 na	0.0 na
2	PROWL H20	3.8 EC		32.0 oz/a	PPI	99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	BRAKE	1.2 SC		12.0 oz/a	PRE							
	STRONGARM	84 WG		0.225 oz/a	PRE							
	CADRE	2 AS		4.0 oz/a	POST							
	COBRA	2 EC		12.5 oz/a	POST							
	BUTYRAC 200	2 SL		16.0 oz/a	POST							
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST							
3	PROWL H20	3.8 EC		32.0 oz/a	PRE	99.0 na	99.0 na	99.0 a	5.0 na	98.0 b	99.0 na	99.0 na
	BRAKE	1.2 SC		12.0 oz/a	PRE							
	STRONGARM	84 WG		0.225 oz/a	PRE							
	CADRE	2 AS		4.0 oz/a	POST							
	COBRA	2 EC		12.5 oz/a	POST							
	BUTYRAC 200	2 SL		16.0 oz/a	POST							
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST							
4	PROWL H20	3.8 EC		32.0 oz/a	PPI	99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	BRAKE	1.2 SC		12.0 oz/a	PRE							
	VALOR EZ	4.0 SC		3.0 oz/a	PRE							
	CADRE	2 AS		4.0 oz/a	POST							
	COBRA	2 EC		12.5 oz/a	POST							
	BUTYRAC 200	2 SL		16.0 oz/a	POST							
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST							
5	PROWL H20	3.8 EC		32.0 oz/a	PRE	99.0 na	99.0 na	98.0 b	5.0 na	99.0 a	99.0 na	99.0 na
	BRAKE	1.2 SC		12.0 oz/a	PRE							
	VALOR EZ	4.0 SC		3.0 oz/a	PRE							
	CADRE	2 AS		4.0 oz/a	POST							
	COBRA	2 EC		12.5 oz/a	POST							
	BUTYRAC 200	2 SL		16.0 oz/a	POST							
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST							
6	PROWL H20	3.8 EC		32.0 oz/a	PPI	99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	BRAKE	1.2 SC		8.0 oz/a	PRE							
	VALOR EZ	4.0 SC		1.5 oz/a	PRE							
	STRONGARM	84 WG		0.225 oz/a	PRE							
	CADRE	2 AS		4.0 oz/a	POST							
	COBRA	2 EC		12.5 oz/a	POST							
	BUTYRAC 200	2 SL		16.0 oz/a	POST							
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST							
7	PROWL H20	3.8 EC		32.0 oz/a	PRE	99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	BRAKE	1.2 SC		8.0 oz/a	PRE							
	VALOR EZ	4.0 SC		1.5 oz/a	PRE							
	STRONGARM	84 WG		0.225 oz/a	PRE							
	CADRE	2 AS		4.0 oz/a	POST							
	COBRA	2 EC		12.5 oz/a	POST							
	BUTYRAC 200	2 SL		16.0 oz/a	POST							
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST							

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code					Molve	laqta	Ipola	-----	Amapa	Rapra	Agrass		
Crop Code					-----	-----	-----	Arahy	-----	-----	-----		
Rating Data Type					Control	Control	Control	Necrosis	Control	Control	Control		
Rating Unit					%	%	%		%	%	%		
Rating Date					Jun-18-25	Jun-18-25	Jun-18-25	Jun-25-25	Jun-25-25	Jun-25-25	Jun-25-25		
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	36	37	38	39	40	41	42
8	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
9	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
10	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
11	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a	5.0 na	99.0 a	99.0 na	99.0 na
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
12 NTC						0.0 na	0.0 na	0.0 c	0.0 na	0.0 c	0.0 na	0.0 na	
LSD P=.10						.	.	0.69	.	0.69	.	.	
Standard Deviation						0.00	0.00	0.58	0.00	0.58	0.00	0.00	
CV						0.0	0.0	0.7	0.0	0.7	0.0	0.0	
Grand Mean						82.50	82.50	82.42	4.17	82.42	82.50	82.50	
Bartlett's X2^						.	.	64.208*	.	64.208*	.	.	
P(Bartlett's X2)						.	.	0.00*	.	0.00*	.	.	
Rank X2						.	.	.	.	.	.	.	
P(Rank X2)						.	.	.	.	.	.	.	
Skewness^						.	.	-3.5949*	.	-3.5949*	.	.	
P(Skewness)^						.	.	0.0*	.	0.0*	.	.	
Kurtosis^						.	.	22.9943*	.	22.9943*	.	.	
P(Kurtosis)^						.	.	0.0*	.	0.0*	.	.	
Replicate F						NaN	NaN	1.000	NaN	1.000	NaN	NaN	
Replicate Prob(F)						NaN	NaN	0.4051	NaN	0.4051	NaN	NaN	
Treatment F						NaN	NaN	17785.000	NaN	17785.000	NaN	NaN	
Treatment Prob(F)						NaN	NaN	0.0001	NaN	0.0001	NaN	NaN	

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code						Molve	laqta	Ipola	-----	Amapa	Rapra	Agrass
Crop Code						-----	-----	-----	Arahy	-----	-----	-----
Rating Data Type						Control	Control	Control	Necrosis	Control	Control	Control
Rating Unit						%	%	%	%	%	%	%
Rating Date						Jun-25-25	Jun-25-25	Jun-25-25	Jul-9-25	Jul-9-25	Jul-9-25	Jul-9-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit Stg	43	44	45	46	47	48	49
1	NTC					0.0 na	0.0 na	0.0 c	0.0 na	0.0 na	0.0 c	0.0 c
2	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
3	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
4	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
5	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 na	99.0 na	98.0 b	0.0 na	99.0 na	96.8 b	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE							
	VALOR EZ	4.0	SC	3.0 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
6	PROWL H20	3.8	EC	32.0 oz/a	PPI	99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE							
	VALOR EZ	4.0	SC	1.5 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
7	PROWL H20	3.8	EC	32.0 oz/a	PRE	99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	BRAKE	1.2	SC	8.0 oz/a	PRE							
	VALOR EZ	4.0	SC	1.5 oz/a	PRE							
	STRONGARM	84	WG	0.225 oz/a	PRE							
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code					Molve	laqta	Ipola	-----	Amapa	Rapra	Agrass		
Crop Code					-----	-----	-----	Arahy	-----	-----	-----		
Rating Data Type					Control	Control	Control	Necrosis	Control	Control	Control		
Rating Unit					%	%	%	%	%	%	%		
Rating Date					Jun-25-25	Jun-25-25	Jun-25-25	Jul-9-25	Jul-9-25	Jul-9-25	Jul-9-25		
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	43	44	45	46	47	48	49
8	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
9	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	BRAKE	1.2	SC	12.0 oz/a	PRE								
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
10	PROWL H20	3.8	EC	32.0 oz/a	PPI		99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	99.0 a
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
11	PROWL H20	3.8	EC	32.0 oz/a	PRE		99.0 na	99.0 na	99.0 a	0.0 na	99.0 na	99.0 a	98.0 b
	VALOR EZ	4.0	SC	3.0 oz/a	PRE								
	STRONGARM	84	WG	0.225 oz/a	PRE								
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
12 NTC						0.0 na	0.0 na	0.0 c	0.0 na	0.0 na	0.0 c	0.0 c	
LSD P=.10						.	.	0.69	.	.	1.55	0.69	
Standard Deviation						0.00	0.00	0.58	0.00	0.00	1.30	0.58	
CV						0.0	0.0	0.7	0.0	0.0	1.58	0.7	
Grand Mean						82.50	82.50	82.42	0.00	82.50	82.31	82.42	
Bartlett's X2^						.	.	64.208*	.	.	64.208*	64.208*	
P(Bartlett's X2)						.	.	0.00*	.	.	0.00*	0.00*	
Rank X2						.	.	.	.	.	.	.	
P(Rank X2)						.	.	.	.	.	.	.	
Skewness^						.	.	-3.5949*	.	.	-3.5949*	-3.5949*	
P(Skewness)^						.	.	0.0*	.	.	0.0*	0.0*	
Kurtosis^						.	.	22.9943*	.	.	22.9943*	22.9943*	
P(Kurtosis)^						.	.	0.0*	.	.	0.0*	0.0*	
Replicate F						NaN	NaN	1.000	NaN	NaN	1.000	1.000	
Replicate Prob(F)						NaN	NaN	0.4051	NaN	NaN	0.4051	0.4051	
Treatment F						NaN	NaN	17785.000	NaN	NaN	3505.000	17785.000	
Treatment Prob(F)						NaN	NaN	0.0001	NaN	NaN	0.0001	0.0001	

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT											
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO					
Location:		PONDER FARM		Investigator:		Eric P. Prostko					
Weed Code						Molve	Ipola	laqta	-----	-----	-----
Crop Code						-----	-----	-----	ARAHY	ARAHY	ARAHY
Rating Data Type						Control	Control	Control	YLD-DIRTY	YLD-CLEAN	YIELD
Rating Unit						%	%	%	LBS/PLOT	LBS/PLOT	LBS/A
Rating Date						Jul-9-25	Jul-9-25	Jul-9-25	Sep-22-25	Sep-22-25	Sep-22-25
Trt	Treatment	Form	Form	Rate	Grow	50	51	52	53	54	55
No.	Name	Conc	Type	Rate	Unit Stg						
1	NTC					0.0 na	0.0 na	0.0 na	0.00 e	0.0 e	0 e
2	PROWL H20	3.8 EC		32.0 oz/a	PPI	99.0 na	99.0 na	99.0 na	22.57 bcd	22.1 bcd	6315 bcd
	BRAKE	1.2 SC		12.0 oz/a	PRE						
	STRONGARM	84 WG		0.225 oz/a	PRE						
	CADRE	2 AS		4.0 oz/a	POST						
	COBRA	2 EC		12.5 oz/a	POST						
	BUTYRAC 200	2 SL		16.0 oz/a	POST						
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST						
3	PROWL H20	3.8 EC		32.0 oz/a	PRE	99.0 na	99.0 na	99.0 na	21.20 cd	20.8 cd	5933 cd
	BRAKE	1.2 SC		12.0 oz/a	PRE						
	STRONGARM	84 WG		0.225 oz/a	PRE						
	CADRE	2 AS		4.0 oz/a	POST						
	COBRA	2 EC		12.5 oz/a	POST						
	BUTYRAC 200	2 SL		16.0 oz/a	POST						
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST						
4	PROWL H20	3.8 EC		32.0 oz/a	PPI	99.0 na	99.0 na	99.0 na	20.88 d	20.5 d	5842 d
	BRAKE	1.2 SC		12.0 oz/a	PRE						
	VALOR EZ	4.0 SC		3.0 oz/a	PRE						
	CADRE	2 AS		4.0 oz/a	POST						
	COBRA	2 EC		12.5 oz/a	POST						
	BUTYRAC 200	2 SL		16.0 oz/a	POST						
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST						
5	PROWL H20	3.8 EC		32.0 oz/a	PRE	99.0 na	99.0 na	99.0 na	22.40 bcd	22.0 bcd	6269 bcd
	BRAKE	1.2 SC		12.0 oz/a	PRE						
	VALOR EZ	4.0 SC		3.0 oz/a	PRE						
	CADRE	2 AS		4.0 oz/a	POST						
	COBRA	2 EC		12.5 oz/a	POST						
	BUTYRAC 200	2 SL		16.0 oz/a	POST						
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST						
6	PROWL H20	3.8 EC		32.0 oz/a	PPI	99.0 na	99.0 na	99.0 na	23.00 bcd	22.5 bcd	6437 bcd
	BRAKE	1.2 SC		8.0 oz/a	PRE						
	VALOR EZ	4.0 SC		1.5 oz/a	PRE						
	STRONGARM	84 WG		0.225 oz/a	PRE						
	CADRE	2 AS		4.0 oz/a	POST						
	COBRA	2 EC		12.5 oz/a	POST						
	BUTYRAC 200	2 SL		16.0 oz/a	POST						
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST						
7	PROWL H20	3.8 EC		32.0 oz/a	PRE	99.0 na	99.0 na	99.0 na	22.07 bcd	21.6 bcd	6175 bcd
	BRAKE	1.2 SC		8.0 oz/a	PRE						
	VALOR EZ	4.0 SC		1.5 oz/a	PRE						
	STRONGARM	84 WG		0.225 oz/a	PRE						
	CADRE	2 AS		4.0 oz/a	POST						
	COBRA	2 EC		12.5 oz/a	POST						
	BUTYRAC 200	2 SL		16.0 oz/a	POST						
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST						

Means followed by same letter or symbol do not significantly differ ($P \leq .10$, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT									
Trial ID: PE-07-25		Study Dir.: K. BRISCO							
Location: PONDER FARM		Investigator: Eric P. Prostko							
Weed Code				Molve	Ipola	laqta	-----	-----	-----
Crop Code				-----	-----	-----	-----	-----	-----
Rating Data Type				Control	Control	Control	YLD-DIRTY	YLD-CLEAN	YLD
Rating Unit				%	%	%	LBS/PLOT	LBS/PLOT	LBS/A
Rating Date				Jul-9-25	Jul-9-25	Jul-9-25	Sep-22-25	Sep-22-25	Sep-22-25
Trt	Treatment	Form	Form	Rate	Grow				
No.	Name	Conc	Type	Rate	Unit	Stg			
8	PROWL H20	3.8	EC	32.0	oz/a	PPI	50	51	52
	BRAKE	1.2	SC	12.0	oz/a	PRE	53	54	55
	VALOR EZ	4.0	SC	3.0	oz/a	PRE			
	STRONGARM	84	WG	0.225	oz/a	PRE			
	CADRE	2	AS	4.0	oz/a	POST			
	COBRA	2	EC	12.5	oz/a	POST			
	BUTYRAC 200	2	SL	16.0	oz/a	POST			
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST			
9	PROWL H20	3.8	EC	32.0	oz/a	PRE	99.0 na	99.0 na	99.0 na
	BRAKE	1.2	SC	12.0	oz/a	PRE			
	VALOR EZ	4.0	SC	3.0	oz/a	PRE			
	STRONGARM	84	WG	0.225	oz/a	PRE			
	CADRE	2	AS	4.0	oz/a	POST			
	COBRA	2	EC	12.5	oz/a	POST			
	BUTYRAC 200	2	SL	16.0	oz/a	POST			
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST			
10	PROWL H20	3.8	EC	32.0	oz/a	PPI	99.0 na	99.0 na	99.0 na
	VALOR EZ	4.0	SC	3.0	oz/a	PRE			
	STRONGARM	84	WG	0.225	oz/a	PRE			
	CADRE	2	AS	4.0	oz/a	POST			
	COBRA	2	EC	12.5	oz/a	POST			
	BUTYRAC 200	2	SL	16.0	oz/a	POST			
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST			
11	PROWL H20	3.8	EC	32.0	oz/a	PRE	99.0 na	99.0 na	99.0 na
	VALOR EZ	4.0	SC	3.0	oz/a	PRE			
	STRONGARM	84	WG	0.225	oz/a	PRE			
	CADRE	2	AS	4.0	oz/a	POST			
	COBRA	2	EC	12.5	oz/a	POST			
	BUTYRAC 200	2	SL	16.0	oz/a	POST			
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST			
12	NTC						0.0 na	0.0 na	0.0 na
LSD P=.10							2.153	2.11	602.6
Standard Deviation							0.00	0.00	0.00
CV							0.0	0.0	0.0
Grand Mean							82.50	82.50	82.50
Bartlett's X2^							18.955	18.58	5304.5
P(Bartlett's X2)							9.538	9.538	9.538
Rank X2							0.572	0.572	0.572
P(Rank X2)							.	.	.
Skewness^							.	.	.
P(Skewness)^							-0.4881	-0.4881	-0.4881
Kurtosis^							0.1885	0.1885	0.1885
P(Kurtosis)^							-0.1564	-0.1564	-0.1564
Replicate F							0.8284	0.8284	0.8284
Replicate Prob(F)							NaN	NaN	NaN
Treatment F							0.977	0.977	0.977
Treatment Prob(F)							0.4165	0.4165	0.4165
							99.281	99.281	99.281
							0.0001	0.0001	0.0001

Means followed by same letter or symbol do not significantly differ (P=.10, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Missing data estimates are included in columns: Average=5,53,54,55

Could not calculate LSD (% mean diff) or mean separation letters for columns

3,5,8,10,11,15,16,23,29,32,36,37,39,41,42,43,44,46,47,50,51,52 because error variance is 0.

Mean separation letters are 'na' (not applicable) when error variance is 0

^Calculated from residual.

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT			
Trial ID:	PE-07-25	Study Dir.:	K. BRISCO
Location:	PONDER FARM	Investigator:	Eric P. Prostko
Rating Unit % = PERCENT ARM Action Codes T1 = [53]*0.98 TY2 = 285.56*[54]			

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code							----	-----	Amapa	Rapra	Agrass	-----	
Crop Code							Arahy	Arahy	-----	-----	-----	Arahy	
Rating Data Type							Stunting	Bleaching	Control	Control	Control	Stunting	
Rating Unit							%	%	%	%	%	%	
Rating Date							May-12-25	May-12-25	May-12-25	May-12-25	May-12-25	May-20-25	
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	1	2	3	4	5	6
1	NTC						101	0.0	0.0	0.0	0.0	0.0	0.0
							203	0.0	0.0	0.0	0.0	0.0	0.0
							301	0.0	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8 EC		32.0 oz/a	PPI		102	10.0	5.0	99.0	95.0	99.0	5.0
	BRAKE	1.2 SC		12.0 oz/a	PRE		209	15.0	0.0	99.0	85.0	99.0	10.0
	STRONGARM	84 WG		0.225 oz/a	PRE		304	20.0	5.0	99.0	99.0	99.0	10.0
	CADRE	2 AS		4.0 oz/a	POST		405	25.0	5.0	99.0	85.0	99.0	10.0
	COBRA	2 EC		12.5 oz/a	POST								
	BUTYRAC 200	2 SL		16.0 oz/a	POST								
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST								
							Mean =	17.5	3.8	99.0	91.0	99.0	8.8
3	PROWL H20	3.8 EC		32.0 oz/a	PRE		103	15.0	5.0	99.0	99.0	99.0	5.0
	BRAKE	1.2 SC		12.0 oz/a	PRE		212	15.0	5.0	99.0	99.0	99.0	5.0
	STRONGARM	84 WG		0.225 oz/a	PRE		307	20.0	0.0	99.0	85.0	99.0	20.0
	CADRE	2 AS		4.0 oz/a	POST		408	20.0	0.0	99.0	99.0	99.0	5.0
	COBRA	2 EC		12.5 oz/a	POST								
	BUTYRAC 200	2 SL		16.0 oz/a	POST								
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST								
							Mean =	17.5	2.5	99.0	95.5	99.0	8.8
4	PROWL H20	3.8 EC		32.0 oz/a	PPI		104	20.0	0.0	99.0	99.0	99.0	10.0
	BRAKE	1.2 SC		12.0 oz/a	PRE		205	30.0	0.0	99.0	99.0	99.0	25.0
	VALOR EZ	4.0 SC		3.0 oz/a	PRE		311	25.0	0.0	99.0	99.0	99.0	20.0
	CADRE	2 AS		4.0 oz/a	POST		407	30.0	0.0	99.0	99.0	99.0	10.0
	COBRA	2 EC		12.5 oz/a	POST								
	BUTYRAC 200	2 SL		16.0 oz/a	POST								
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST								
							Mean =	26.3	0.0	99.0	99.0	99.0	16.3
5	PROWL H20	3.8 EC		32.0 oz/a	PRE		105	30.0	0.0	99.0	99.0	99.0	20.0
	BRAKE	1.2 SC		12.0 oz/a	PRE		202	25.0	0.0	99.0	99.0		20.0
	VALOR EZ	4.0 SC		3.0 oz/a	PRE		306	25.0	0.0	99.0	99.0	99.0	10.0
	CADRE	2 AS		4.0 oz/a	POST		411	30.0	0.0	99.0	99.0	99.0	20.0
	COBRA	2 EC		12.5 oz/a	POST								
	BUTYRAC 200	2 SL		16.0 oz/a	POST								
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST								
							Mean =	27.5	0.0	99.0	99.0	99.0	17.5
6	PROWL H20	3.8 EC		32.0 oz/a	PPI		106	20.0	0.0	99.0	99.0	99.0	15.0
	BRAKE	1.2 SC		8.0 oz/a	PRE		204	10.0	0.0	99.0	99.0	99.0	20.0
	VALOR EZ	4.0 SC		1.5 oz/a	PRE		308	20.0	0.0	99.0	99.0	99.0	10.0
	STRONGARM	84 WG		0.225 oz/a	PRE		412	30.0	0.0	99.0	99.0	99.0	10.0
	CADRE	2 AS		4.0 oz/a	POST								
	COBRA	2 EC		12.5 oz/a	POST								
	BUTYRAC 200	2 SL		16.0 oz/a	POST								
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST								
							Mean =	20.0	0.0	99.0	99.0	99.0	13.8
7	PROWL H20	3.8 EC		32.0 oz/a	PRE		107	25.0	0.0	99.0	99.0	99.0	15.0
	BRAKE	1.2 SC		8.0 oz/a	PRE		206	20.0	0.0	99.0	99.0	99.0	20.0
	VALOR EZ	4.0 SC		1.5 oz/a	PRE		302	20.0	0.0	99.0	99.0	99.0	20.0
	STRONGARM	84 WG		0.225 oz/a	PRE		410	25.0	0.0	99.0	99.0	99.0	20.0
	CADRE	2 AS		4.0 oz/a	POST								
	COBRA	2 EC		12.5 oz/a	POST								
	BUTYRAC 200	2 SL		16.0 oz/a	POST								
	DUAL MAGNUM	7.62 EC		16.0 oz/a	POST								
							Mean =	22.5	0.0	99.0	99.0	99.0	18.8

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code								----	-----	Amapa	Rapra	Agrass	-----
Crop Code								Arahy	Arahy	-----	-----	-----	Arahy
Rating Data Type								Stunting	Bleaching	Control	Control	Control	Stunting
Rating Unit								%	%	%	%	%	%
Rating Date								May-12-25	May-12-25	May-12-25	May-12-25	May-12-25	May-20-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	Plot	1	2	3	4	5	6
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108		35.0	0.0	99.0	99.0	99.0	30.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	201		25.0	0.0	99.0	99.0	99.0	20.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309		30.0	0.0	99.0	99.0	99.0	25.0
	STRONGARM	84	WG	0.225 oz/a	PRE	404		25.0	0.0	99.0	99.0	99.0	20.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							28.8	0.0	99.0	99.0	99.0	23.8
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109		30.0	0.0	99.0	99.0	99.0	20.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	207		30.0	0.0	99.0	99.0	99.0	20.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303		25.0	0.0	99.0	99.0	99.0	20.0
	STRONGARM	84	WG	0.225 oz/a	PRE	401		25.0	0.0	99.0	99.0	99.0	15.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							27.5	0.0	99.0	99.0	99.0	18.8
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110		35.0	0.0	99.0	99.0	99.0	25.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211		35.0	0.0	99.0	99.0	99.0	20.0
	STRONGARM	84	WG	0.225 oz/a	PRE	312		30.0	0.0	99.0	99.0	99.0	15.0
	CADRE	2	AS	4.0 oz/a	POST	406		20.0	0.0	99.0	99.0	99.0	15.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							30.0	0.0	99.0	99.0	99.0	18.8
	11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111		30.0	0.0	99.0	99.0	99.0
VALOR EZ		4.0	SC	3.0 oz/a	PRE	210		30.0	0.0	99.0	99.0	99.0	20.0
STRONGARM		84	WG	0.225 oz/a	PRE	305		30.0	0.0	99.0	99.0	99.0	25.0
CADRE		2	AS	4.0 oz/a	POST	409		35.0	0.0	99.0	99.0	99.0	10.0
COBRA		2	EC	12.5 oz/a	POST								
BUTYRAC 200		2	SL	16.0 oz/a	POST								
DUAL MAGNUM		7.62	EC	16.0 oz/a	POST								
Mean =							31.3	0.0	99.0	99.0	99.0	20.0	
12		NTC						112	0.0	0.0	0.0	0.0	0.0
							208	0.0	0.0	0.0	0.0	0.0	0.0
							310	0.0	0.0	0.0	0.0	0.0	0.0
							403	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code							-----	Amapa	Rapra	Agrass	Molve	-----
Crop Code							Arahy	-----	Control	Control	Control	Arahy
Rating Data Type							Bleaching	Control	Control	Control	Control	Bleaching
Rating Unit							%	%	%	%	%	%
Rating Date							May-20-25	May-20-25	May-20-25	May-20-25	May-20-25	May-29-25
Trt	Treatment	Form	Form	Rate	Grow	Plot	7	8	9	10	11	12
No.	Name	Conc	Type	Rate	Unit	Stg						
1	NTC					101	0.0	0.0	0.0	0.0	0.0	0.0
						203	0.0	0.0	0.0	0.0	0.0	0.0
						301	0.0	0.0	0.0	0.0	0.0	0.0
						402	0.0	0.0	0.0	0.0	0.0	0.0
						Mean =	0.0	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI	102	5.0	99.0	95.0	99.0	99.0	5.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	209	5.0	99.0	85.0	99.0	99.0	10.0
	STRONGARM	84	WG	0.225 oz/a	PRE	304	5.0	99.0	99.0	99.0	99.0	10.0
	CADRE	2	AS	4.0 oz/a	POST	405	5.0	99.0	95.0	99.0	99.0	5.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
						Mean =	5.0	99.0	93.5	99.0	99.0	7.5
3	PROWL H20	3.8	EC	32.0 oz/a	PRE	103	5.0	99.0	95.0	99.0	99.0	5.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	212	0.0	99.0	99.0	99.0	99.0	10.0
	STRONGARM	84	WG	0.225 oz/a	PRE	307	0.0	99.0	99.0	99.0	99.0	5.0
	CADRE	2	AS	4.0 oz/a	POST	408	5.0	99.0	85.0	99.0	99.0	10.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
						Mean =	2.5	99.0	94.5	99.0	99.0	7.5
4	PROWL H20	3.8	EC	32.0 oz/a	PPI	104	0.0	99.0	95.0	99.0	99.0	0.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	205	0.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	311	0.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST	407	0.0	99.0	99.0	99.0	99.0	0.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
						Mean =	0.0	99.0	98.0	99.0	99.0	0.0
5	PROWL H20	3.8	EC	32.0 oz/a	PRE	105	0.0	99.0	99.0	99.0	99.0	0.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	202	0.0	99.0	95.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	306	0.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST	411	0.0	99.0	99.0	99.0	99.0	0.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
						Mean =	0.0	99.0	98.0	99.0	99.0	0.0
6	PROWL H20	3.8	EC	32.0 oz/a	PPI	106	0.0	99.0	99.0	99.0	99.0	0.0
	BRAKE	1.2	SC	8.0 oz/a	PRE	204	0.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE	308	0.0	99.0	99.0	99.0	99.0	0.0
	STRONGARM	84	WG	0.225 oz/a	PRE	412	0.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
						Mean =	0.0	99.0	99.0	99.0	99.0	0.0
7	PROWL H20	3.8	EC	32.0 oz/a	PRE	107	0.0	99.0	99.0	99.0	99.0	0.0
	BRAKE	1.2	SC	8.0 oz/a	PRE	206	0.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE	302	0.0	99.0	99.0	99.0	99.0	0.0
	STRONGARM	84	WG	0.225 oz/a	PRE	410	0.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
						Mean =	0.0	99.0	99.0	99.0	99.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code							-----	Amapa	Rapra	Agrass	Molve	-----	
Crop Code							Arahy	-----	-----	-----	-----	Arahy	
Rating Data Type							Bleaching	Control	Control	Control	Control	Bleaching	
Rating Unit							%	%	%	%	%	%	
Rating Date							May-20-25	May-20-25	May-20-25	May-20-25	May-20-25	May-29-25	
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	7	8	9	10	11	12
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108		0.0	99.0	99.0	99.0	99.0	0.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	201		0.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309		0.0	99.0	99.0	99.0	99.0	5.0
	STRONGARM	84	WG	0.225 oz/a	PRE	404		0.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
		Mean =						0.0	99.0	99.0	99.0	99.0	1.3
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109		0.0	99.0	99.0	99.0	99.0	0.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	207		0.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303		0.0	99.0	99.0	99.0	99.0	10.0
	STRONGARM	84	WG	0.225 oz/a	PRE	401		0.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
		Mean =						0.0	99.0	99.0	99.0	99.0	2.5
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110		0.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211		0.0	99.0	99.0	99.0	99.0	0.0
	STRONGARM	84	WG	0.225 oz/a	PRE	312		0.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST	406		0.0	99.0	99.0	99.0	99.0	0.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
		Mean =						0.0	99.0	99.0	99.0	99.0	0.0
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111		0.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	210		0.0	99.0	99.0	99.0	99.0	0.0
	STRONGARM	84	WG	0.225 oz/a	PRE	305		5.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST	409		0.0	99.0	99.0	99.0	99.0	0.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
		Mean =						1.3	99.0	99.0	99.0	99.0	0.0
12	NTC					112		0.0	0.0	0.0	0.0	0.0	0.0
						208		0.0	0.0	0.0	0.0	0.0	0.0
						310		0.0	0.0	0.0	0.0	0.0	0.0
						403		0.0	0.0	0.0	0.0	0.0	0.0
						Mean =		0.0	0.0	0.0	0.0	0.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code							Amapa	Rapra	Agrass	Molve	Iaqtta	Cypes	
Crop Code							-----	-----	-----	-----	-----	-----	
Rating Data Type							Control	Control	Control	Control	Control	Control	
Rating Unit							%	%	%	%	%	%	
Rating Date							May-29-25	May-29-25	May-29-25	May-29-25	May-29-25	May-29-25	
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	13	14	15	16	17	18
1	NTC						101	0.0	0.0	0.0	0.0	0.0	0.0
							203	0.0	0.0	0.0	0.0	0.0	0.0
							301	0.0	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		102	99.0	99.0	99.0	99.0	95.0	95.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		209	99.0	85.0	99.0	99.0	99.0	85.0
	STRONGARM	84	WG	0.225 oz/a	PRE		304	99.0	99.0	99.0	99.0	99.0	95.0
	CADRE	2	AS	4.0 oz/a	POST		405	99.0	99.0	99.0	99.0	95.0	99.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	99.0	95.5	99.0	99.0	97.0	93.5
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		103	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		212	95.0	99.0	99.0	99.0	99.0	85.0
	STRONGARM	84	WG	0.225 oz/a	PRE		307	99.0	99.0	99.0	99.0	99.0	85.0
	CADRE	2	AS	4.0 oz/a	POST		408	99.0	99.0	99.0	99.0	99.0	50.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	98.0	99.0	99.0	99.0	99.0	79.8
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		104	99.0	95.0	99.0	99.0	99.0	50.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		205	99.0	99.0	99.0	99.0	99.0	0.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		311	99.0	99.0	99.0	99.0	99.0	0.0
	CADRE	2	AS	4.0 oz/a	POST		407	99.0	99.0	99.0	99.0	99.0	85.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	99.0	98.0	99.0	99.0	99.0	33.8
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		105	99.0	99.0	99.0	99.0	99.0	0.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		202	99.0	95.0	99.0	99.0	99.0	95.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		306	99.0	95.0	99.0	99.0	99.0	85.0
	CADRE	2	AS	4.0 oz/a	POST		411	99.0	99.0	99.0	99.0	99.0	50.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	99.0	97.0	99.0	99.0	99.0	57.5
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		106	99.0	99.0	99.0	99.0	99.0	90.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		204	99.0	99.0	99.0	99.0	99.0	95.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		308	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		412	99.0	99.0	99.0	99.0	99.0	95.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
						Mean =	99.0	99.0	99.0	99.0	99.0	94.8	
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		107	99.0	99.0	99.0	99.0	99.0	95.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		206	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		302	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		410	99.0	99.0	99.0	99.0	95.0	95.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
						Mean =	99.0	99.0	99.0	99.0	98.0	97.0	

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code							Amapa	Rapra	Agrass	Molve	Iaqtta	Cypes	
Crop Code							-----	-----	-----	-----	-----	-----	
Rating Data Type							Control	Control	Control	Control	Control	Control	
Rating Unit							%	%	%	%	%	%	
Rating Date							May-29-25	May-29-25	May-29-25	May-29-25	May-29-25	May-29-25	
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	13	14	15	16	17	18
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108		99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	201		99.0	99.0	99.0	99.0	95.0	75.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309		99.0	99.0	99.0	99.0	99.0	95.0
	STRONGARM	84	WG	0.225 oz/a	PRE	404		99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
Mean =							99.0	99.0	99.0	99.0	98.0	92.0	
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109		99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	207		99.0	99.0	99.0	99.0	99.0	95.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303		99.0	99.0	99.0	99.0	99.0	90.0
	STRONGARM	84	WG	0.225 oz/a	PRE	401		99.0	99.0	99.0	99.0	99.0	90.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
Mean =							99.0	99.0	99.0	99.0	99.0	93.5	
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110		99.0	99.0	99.0	99.0	95.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211		99.0	99.0	99.0	99.0	99.0	85.0
	STRONGARM	84	WG	0.225 oz/a	PRE	312		99.0	99.0	99.0	99.0	99.0	70.0
	CADRE	2	AS	4.0 oz/a	POST	406		99.0	99.0	99.0	99.0	99.0	90.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							99.0	99.0	99.0	99.0	98.0	86.0
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111		99.0	99.0	99.0	99.0	99.0	95.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	210		99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	305		99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	409		99.0	99.0	99.0	99.0	99.0	85.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							99.0	99.0	99.0	99.0	99.0	94.5
12	NTC					112		0.0	0.0	0.0	0.0	0.0	0.0
						208		0.0	0.0	0.0	0.0	0.0	0.0
						310		0.0	0.0	0.0	0.0	0.0	0.0
						403		0.0	0.0	0.0	0.0	0.0	0.0
	Mean =							0.0	0.0	0.0	0.0	0.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT														
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO								
Location:		PONDER FARM		Investigator:		Eric P. Prostko								
Weed Code							-----	Amapa	Rapra	Agrass	Molve	Ipola	laqta	
Crop Code							Arahy	-----	-----	-----	-----	-----	-----	
Rating Data Type							Bleaching	Control	Control	Control	Control	Control	Control	
Rating Unit								%	%	%	%	%	%	
Rating Date							Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	
Trt	Treatment	Form	Form	Rate	Grow									
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	19	20	21	22	23	24	25
1	NTC						101	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							203	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							301	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		102	5.0	99.0	99.0	99.0	99.0	99.0	85.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		209	10.0	99.0	99.0	99.0	99.0	99.0	85.0
	STRONGARM	84	WG	0.225 oz/a	PRE		304	10.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		405	5.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	7.5	99.0	99.0	99.0	99.0	99.0	92.0
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		103	5.0	99.0	99.0	95.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		212	5.0	95.0	99.0	99.0	99.0	95.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		307	10.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		408	10.0	99.0	85.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	7.5	98.0	95.5	98.0	99.0	98.0	99.0
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		104	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		205	0.0	99.0	95.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		311	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		407	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	0.0	99.0	98.0	99.0	99.0	99.0	99.0
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		105	0.0	99.0	95.0	99.0	99.0	95.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		202	0.0	99.0	90.0	99.0	99.0	90.0	95.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		306	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		411	0.0	99.0	99.0	99.0	99.0	99.0	95.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	0.0	99.0	95.8	99.0	99.0	95.8	97.0
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		106	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		204	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		308	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		412	5.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	1.3	99.0	99.0	99.0	99.0	99.0	99.0
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		107	0.0	99.0	99.0	95.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		206	5.0	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		302	0.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		410	0.0	99.0	99.0	99.0	99.0	99.0	95.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	1.3	99.0	99.0	98.0	99.0	99.0	98.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT														
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO								
Location:		PONDER FARM		Investigator:		Eric P. Prostko								
Weed Code							-----	Amapa	Rapra	Agrass	Molve	Ipola	laqta	
Crop Code							Arahy	-----	-----	-----	-----	-----	-----	
Rating Data Type							Bleaching	Control	Control	Control	Control	Control	Control	
Rating Unit								%	%	%	%	%	%	
Rating Date							Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	Jun-4-25	
Trt	Treatment	Form	Form	Rate	Grow									
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	19	20	21	22	23	24	25
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	201		0.0	99.0	99.0	95.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309		5.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	404		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
Mean =							1.3	99.0	99.0	98.0	99.0	99.0	99.0	
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	207		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303		5.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	401		0.0	99.0	99.0	99.0	99.0	99.0	95.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
Mean =							1.3	99.0	99.0	99.0	99.0	99.0	98.0	
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110		0.0	99.0	99.0	99.0	99.0	99.0	95.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	312		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	406		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
	Mean =							0.0	99.0	99.0	99.0	99.0	99.0	98.0
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111		0.0	99.0	99.0	99.0	99.0	99.0	95.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	210		0.0	99.0	99.0	99.0	99.0	99.0	95.0
	STRONGARM	84	WG	0.225 oz/a	PRE	305		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	409		0.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
	Mean =							0.0	99.0	99.0	99.0	99.0	99.0	97.0
12	NTC					112		0.0	0.0	0.0	0.0	0.0	0.0	0.0
						208		0.0	0.0	0.0	0.0	0.0	0.0	0.0
						310		0.0	0.0	0.0	0.0	0.0	0.0	0.0
						403		0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Mean =							0.0	0.0	0.0	0.0	0.0	0.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code							Amapa	Rapra	Agrass	Molve	Ipola	Iaqtta
Crop Code							-----	-----	-----	-----	-----	-----
Rating Data Type							Control	Control	Control	Control	Control	Control
Rating Unit							%	%	%	%	%	%
Rating Date							Jun-12-25	Jun-12-25	Jun-12-25	Jun-12-25	Jun-12-25	Jun-12-25
Trt	Treatment	Form	Form	Rate	Grow							
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	26	27	28	29	30
												31
1	NTC						101	0.0	0.0	0.0	0.0	0.0
							203	0.0	0.0	0.0	0.0	0.0
							301	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		102	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		209	99.0	99.0	99.0	99.0	90.0
	STRONGARM	84	WG	0.225 oz/a	PRE		304	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		405	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	99.0	99.0	96.8
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		103	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		212	95.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		307	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		408	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	98.0	99.0	99.0	99.0	99.0
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		104	99.0	95.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		205	99.0	95.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		311	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		407	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	97.0	99.0	99.0	99.0
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		105	99.0	95.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		202	99.0	90.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		306	99.0	95.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		411	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	94.8	99.0	99.0	95.5
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		106	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		204	99.0	99.0	95.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		308	99.0	99.0	95.0	99.0	90.0
	STRONGARM	84	WG	0.225 oz/a	PRE		412	99.0	99.0	95.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	96.0	99.0	96.8
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		107	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		206	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		302	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		410	99.0	99.0	95.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	98.0	99.0	99.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code							Amapa	Rapra	Agrass	Molve	Ipola	Iaqta	
Crop Code							-----	-----	-----	-----	-----	-----	
Rating Data Type							Control	Control	Control	Control	Control	Control	
Rating Unit							%	%	%	%	%	%	
Rating Date							Jun-12-25	Jun-12-25	Jun-12-25	Jun-12-25	Jun-12-25	Jun-12-25	
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot						
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108		99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	201		99.0	99.0	95.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309		99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	404		99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							99.0	99.0	98.0	99.0	99.0	99.0
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109		99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	207		99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303		99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	401		99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							99.0	99.0	99.0	99.0	99.0	99.0
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110		99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211		99.0	99.0	99.0	99.0	95.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	312		99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	406		99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							99.0	99.0	99.0	99.0	98.0	99.0
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111		99.0	99.0	99.0	99.0	95.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	210		99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	305		99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	409		99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
	Mean =							99.0	99.0	99.0	99.0	98.0	99.0
12	NTC					112		0.0	0.0	0.0	0.0	0.0	0.0
						208		0.0	0.0	0.0	0.0	0.0	0.0
						310		0.0	0.0	0.0	0.0	0.0	0.0
						403		0.0	0.0	0.0	0.0	0.0	0.0
	Mean =							0.0	0.0	0.0	0.0	0.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code							-----	Amapa	Rapra	Agrass	Molve	laqta	
Crop Code							-----	-----	-----	-----	-----	-----	
Rating Data Type							Arahy	Control	Control	Control	Control	Control	
Rating Unit							%	%	%	%	%	%	
Rating Date							Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25	
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	32	33	34	35	36	37
1	NTC						101	0.0	0.0	0.0	0.0	0.0	0.0
							203	0.0	0.0	0.0	0.0	0.0	0.0
							301	0.0	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		102	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		209	15.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		304	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		405	15.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	15.0	99.0	99.0	99.0	99.0	99.0
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		103	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		212	15.0	95.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		307	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		408	15.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	15.0	98.0	99.0	99.0	99.0	99.0
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		104	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		205	15.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		311	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		407	15.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	15.0	99.0	99.0	99.0	99.0	99.0
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		105	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		202	15.0	99.0	95.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		306	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		411	15.0	99.0	99.0	95.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	15.0	99.0	98.0	98.0	99.0	99.0
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		106	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		204	15.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		308	15.0	99.0	99.0	95.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		412	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	15.0	99.0	99.0	98.0	99.0	99.0
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		107	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		206	15.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		302	15.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		410	15.0	99.0	99.0	95.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST								
	COBRA	2	EC	12.5 oz/a	POST								
	BUTYRAC 200	2	SL	16.0 oz/a	POST								
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST								
							Mean =	15.0	99.0	99.0	98.0	99.0	99.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT													
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO							
Location:		PONDER FARM		Investigator:		Eric P. Prostko							
Weed Code							-----	Amapa	Rapra	Agrass	Molve	laqta	
Crop Code							Arahy	-----	-----	-----	-----	-----	
Rating Data Type							Necrosis	Control	Control	Control	Control	Control	
Rating Unit							%	%	%	%	%	%	
Rating Date							Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25	Jun-18-25	
Trt	Treatment	Form	Form	Rate	Grow								
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	32	33	34	35	36	37
8	PROWL H20	3.8	EC	32.0	oz/a	PPI	108	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0	oz/a	PRE	201	15.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0	oz/a	PRE	309	15.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225	oz/a	PRE	404	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0	oz/a	POST							
	COBRA	2	EC	12.5	oz/a	POST							
	BUTYRAC 200	2	SL	16.0	oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST							
		Mean =						15.0	99.0	99.0	99.0	99.0	99.0
9	PROWL H20	3.8	EC	32.0	oz/a	PRE	109	15.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0	oz/a	PRE	207	15.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0	oz/a	PRE	303	15.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225	oz/a	PRE	401	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0	oz/a	POST							
	COBRA	2	EC	12.5	oz/a	POST							
	BUTYRAC 200	2	SL	16.0	oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST							
		Mean =						15.0	99.0	99.0	99.0	99.0	99.0
10	PROWL H20	3.8	EC	32.0	oz/a	PPI	110	15.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0	oz/a	PRE	211	15.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225	oz/a	PRE	312	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0	oz/a	POST	406	15.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5	oz/a	POST							
	BUTYRAC 200	2	SL	16.0	oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST							
		Mean =						15.0	99.0	99.0	99.0	99.0	99.0
11	PROWL H20	3.8	EC	32.0	oz/a	PRE	111	15.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0	oz/a	PRE	210	15.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225	oz/a	PRE	305	15.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0	oz/a	POST	409	15.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5	oz/a	POST							
	BUTYRAC 200	2	SL	16.0	oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0	oz/a	POST							
	Mean =						15.0	99.0	99.0	99.0	99.0	99.0	
12	NTC						112	0.0	0.0	0.0	0.0	0.0	0.0
							208	0.0	0.0	0.0	0.0	0.0	0.0
							310	0.0	0.0	0.0	0.0	0.0	0.0
							403	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT																	
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO											
Location:		PONDER FARM		Investigator:		Eric P. Prostko											
Weed Code						Ipola		-----		Amapa		Rapra		Agrass		Molve	
Crop Code						-----		Arahy		-----		-----		-----		-----	
Rating Data Type						Control		Necrosis		Control		Control		Control		Control	
Rating Unit						%				%		%		%		%	
Rating Date						Jun-18-25		Jun-25-25		Jun-25-25		Jun-25-25		Jun-25-25		Jun-25-25	
Trt	Treatment	Form	Form	Rate	Grow												
No.	Name	Conc	Type	Rate	Unit	Stg	Plot										
1	NTC						101	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							203	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							301	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		102	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		209	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		304	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		405	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST												
	BUTYRAC 200	2	SL	16.0 oz/a	POST												
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST												
							Mean =	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		103	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		212	99.0	5.0	95.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		307	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		408	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST												
	BUTYRAC 200	2	SL	16.0 oz/a	POST												
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST												
							Mean =	99.0	5.0	98.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		104	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		205	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		311	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		407	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST												
	BUTYRAC 200	2	SL	16.0 oz/a	POST												
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST												
							Mean =	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		105	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		202	95.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		306	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		411	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST												
	BUTYRAC 200	2	SL	16.0 oz/a	POST												
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST												
							Mean =	98.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		106	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		204	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		308	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		412	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST												
	COBRA	2	EC	12.5 oz/a	POST												
	BUTYRAC 200	2	SL	16.0 oz/a	POST												
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST												
							Mean =	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		107	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		206	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		302	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		410	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST												
	COBRA	2	EC	12.5 oz/a	POST												
	BUTYRAC 200	2	SL	16.0 oz/a	POST												
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST												
							Mean =	99.0	5.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code							Ipola	-----	Amapa	Rapra	Agrass	Molve
Crop Code							-----	Arahy	-----	-----	-----	-----
Rating Data Type							Control	Necrosis	Control	Control	Control	Control
Rating Unit							%		%	%	%	%
Rating Date							Jun-18-25	Jun-25-25	Jun-25-25	Jun-25-25	Jun-25-25	Jun-25-25
Trt	Treatment	Form	Form	Rate	Grow							
No.	Name	Conc	Type	Unit	Stg	Plot	38	39	40	41	42	43
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108	99.0	5.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	201	99.0	5.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309	99.0	5.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	404	99.0	5.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
	Mean =						99.0	5.0	99.0	99.0	99.0	99.0
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109	99.0	5.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	207	99.0	5.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303	99.0	5.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	401	99.0	5.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
	Mean =						99.0	5.0	99.0	99.0	99.0	99.0
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110	99.0	5.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211	99.0	5.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	312	99.0	5.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	406	99.0	5.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
	Mean =						99.0	5.0	99.0	99.0	99.0	99.0
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111	99.0	5.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	210	99.0	5.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	305	99.0	5.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	409	99.0	5.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
	Mean =						99.0	5.0	99.0	99.0	99.0	99.0
12	NTC					112	0.0	0.0	0.0	0.0	0.0	0.0
						208	0.0	0.0	0.0	0.0	0.0	0.0
						310	0.0	0.0	0.0	0.0	0.0	0.0
						403	0.0	0.0	0.0	0.0	0.0	0.0
						Mean =	0.0	0.0	0.0	0.0	0.0	0.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT														
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO								
Location:		PONDER FARM		Investigator:		Eric P. Prostko								
Weed Code							laqta	Ipola	-----	Amapa	Rapra	Agrass	Molve	
Crop Code							-----	-----	Arahy	-----	-----	-----	-----	
Rating Data Type							Control	Control	Necrosis	Control	Control	Control	Control	
Rating Unit							%	%	%	%	%	%	%	
Rating Date							Jun-25-25	Jun-25-25	Jul-9-25	Jul-9-25	Jul-9-25	Jul-9-25	Jul-9-25	
Trt	Treatment	Form	Form	Rate	Grow									
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	44	45	46	47	48	49	50
1	NTC						101	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							203	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							301	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							402	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI		102	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		209	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		304	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		405	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	99.0	99.0	0.0	99.0	99.0	99.0	99.0
3	PROWL H20	3.8	EC	32.0 oz/a	PRE		103	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		212	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		307	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		408	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	99.0	99.0	0.0	99.0	99.0	99.0	99.0
4	PROWL H20	3.8	EC	32.0 oz/a	PPI		104	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		205	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		311	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		407	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	99.0	99.0	0.0	99.0	99.0	99.0	99.0
5	PROWL H20	3.8	EC	32.0 oz/a	PRE		105	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE		202	99.0	95.0	0.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE		306	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST		411	99.0	99.0	0.0	99.0	90.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	99.0	98.0	0.0	99.0	96.8	99.0	99.0
6	PROWL H20	3.8	EC	32.0 oz/a	PPI		106	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		204	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		308	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		412	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	99.0	99.0	0.0	99.0	99.0	99.0	99.0
7	PROWL H20	3.8	EC	32.0 oz/a	PRE		107	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	8.0 oz/a	PRE		206	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	1.5 oz/a	PRE		302	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE		410	99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
							Mean =	99.0	99.0	0.0	99.0	99.0	99.0	99.0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT														
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO								
Location:		PONDER FARM		Investigator:		Eric P. Prostko								
Weed Code								laqta	Ipola	-----	Amapa	Rapra	Agrass	Molve
Crop Code								-----	-----	Arahy	-----	-----	-----	-----
Rating Data Type								Control	Control	Necrosis	Control	Control	Control	Control
Rating Unit								%	%	%	%	%	%	%
Rating Date								Jun-25-25	Jun-25-25	Jul-9-25	Jul-9-25	Jul-9-25	Jul-9-25	Jul-9-25
Trt No.	Treatment Name	Form Conc	Form Type	Rate	Grow Unit	Stg	Plot	44	45	46	47	48	49	50
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	201		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	404		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
Mean =							99.0	99.0	0.0	99.0	99.0	99.0	99.0	
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	BRAKE	1.2	SC	12.0 oz/a	PRE	207		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	401		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST									
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
Mean =							99.0	99.0	0.0	99.0	99.0	99.0	99.0	
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	312		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	406		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
	Mean =							99.0	99.0	0.0	99.0	99.0	99.0	99.0
11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111		99.0	99.0	0.0	99.0	99.0	95.0	99.0
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	210		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	STRONGARM	84	WG	0.225 oz/a	PRE	305		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	CADRE	2	AS	4.0 oz/a	POST	409		99.0	99.0	0.0	99.0	99.0	99.0	99.0
	COBRA	2	EC	12.5 oz/a	POST									
	BUTYRAC 200	2	SL	16.0 oz/a	POST									
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST									
	Mean =							99.0	99.0	0.0	99.0	99.0	98.0	99.0
12	NTC						112	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							208	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							310	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							403	0.0	0.0	0.0	0.0	0.0	0.0	0.0
							Mean =	0.0	0.0	0.0	0.0	0.0	0.0	0.0

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT			
Trial ID:	PE-07-25	Study Dir.:	K. BRISCO
Location:	PONDER FARM	Investigator:	Eric P. Prostko

Weed Code Crop Code Rating Data Type Rating Unit Rating Date							Ipola ----- Control % Jul-9-25	Iaqta ----- Control % Jul-9-25	----- ARAHY YLD-DIRTY LBS/PLOT Sep-22-25	----- ARAHY YLD-CLEAN LBS/PLOT Sep-22-25	----- ARAHY YIELD LBS/A Sep-22-25	
Trt	Treatment	Form	Form	Rate	Grow							
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	51	52	53	54	55
1	NTC						101	0.0	0.0	0.00	0.0	0
							203	0.0	0.0	0.00	0.0	0
							301	0.0	0.0	0.00	0.0	0
							402	0.0	0.0	0.00	0.0	0
							Mean =	0.0	0.0	0.00	0.0	0
2	PROWL H20	3.8	EC	32.0 oz/a	PPI	102		99.0	99.0	22.10	21.7	6185
	BRAKE	1.2	SC	12.0 oz/a	PRE	209		99.0	99.0			
	STRONGARM	84	WG	0.225 oz/a	PRE	304		99.0	99.0	20.60	20.2	5765
	CADRE	2	AS	4.0 oz/a	POST	405		99.0	99.0	25.00	24.5	6996
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	22.57	22.1	6315
3	PROWL H20	3.8	EC	32.0 oz/a	PRE	103		99.0	99.0	19.80	19.4	5541
	BRAKE	1.2	SC	12.0 oz/a	PRE	212		99.0	99.0	23.80	23.3	6660
	STRONGARM	84	WG	0.225 oz/a	PRE	307		99.0	99.0	22.00	21.6	6157
	CADRE	2	AS	4.0 oz/a	POST	408		99.0	99.0	19.20	18.8	5373
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	21.20	20.8	5933
4	PROWL H20	3.8	EC	32.0 oz/a	PPI	104		99.0	99.0	20.20	19.8	5653
	BRAKE	1.2	SC	12.0 oz/a	PRE	205		99.0	99.0	19.80	19.4	5541
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	311		99.0	99.0	22.50	22.1	6297
	CADRE	2	AS	4.0 oz/a	POST	407		99.0	99.0	21.00	20.6	5877
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	20.88	20.5	5842
5	PROWL H20	3.8	EC	32.0 oz/a	PRE	105		99.0	99.0	23.50	23.0	6576
	BRAKE	1.2	SC	12.0 oz/a	PRE	202		99.0	99.0	23.60	23.1	6604
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	306		99.0	99.0	22.30	21.9	6241
	CADRE	2	AS	4.0 oz/a	POST	411		99.0	99.0	20.20	19.8	5653
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	22.40	22.0	6269
6	PROWL H20	3.8	EC	32.0 oz/a	PPI	106		99.0	99.0	23.30	22.8	6520
	BRAKE	1.2	SC	8.0 oz/a	PRE	204		99.0	99.0	20.40	20.0	5709
	VALOR EZ	4.0	SC	1.5 oz/a	PRE	308		99.0	99.0	22.70	22.2	6353
	STRONGARM	84	WG	0.225 oz/a	PRE	412		99.0	99.0	25.60	25.1	7164
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	23.00	22.5	6437
7	PROWL H20	3.8	EC	32.0 oz/a	PRE	107		99.0	99.0	23.00	22.5	6437
	BRAKE	1.2	SC	8.0 oz/a	PRE	206		99.0	99.0			
	VALOR EZ	4.0	SC	1.5 oz/a	PRE	302		99.0	99.0	22.00	21.6	6157
	STRONGARM	84	WG	0.225 oz/a	PRE	410		99.0	99.0	21.20	20.8	5933
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
							Mean =	99.0	99.0	22.07	21.6	6175

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT												
Trial ID:		PE-07-25		Study Dir.:		K. BRISCO						
Location:		PONDER FARM		Investigator:		Eric P. Prostko						
Weed Code							Ipola	laqta	-----	-----	-----	
Crop Code							-----	-----	-----	-----	-----	
Rating Data Type							Control	Control	YLD-DIRTY	YLD-CLEAN	YLD	
Rating Unit							%	%	LBS/PLOT	LBS/PLOT	LBS/A	
Rating Date							Jul-9-25	Jul-9-25	Sep-22-25	Sep-22-25	Sep-22-25	
Trt	Treatment	Form	Form	Rate	Grow							
No.	Name	Conc	Type	Rate	Unit	Stg	Plot	51	52	53	54	55
8	PROWL H20	3.8	EC	32.0 oz/a	PPI	108		99.0	99.0	25.90	25.4	7248
	BRAKE	1.2	SC	12.0 oz/a	PRE	201		99.0	99.0	26.60	26.1	7444
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	309		99.0	99.0	23.50	23.0	6576
	STRONGARM	84	WG	0.225 oz/a	PRE	404		99.0	99.0	26.30	25.8	7360
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
		Mean =						99.0	99.0	25.58	25.1	7157
9	PROWL H20	3.8	EC	32.0 oz/a	PRE	109		99.0	99.0			
	BRAKE	1.2	SC	12.0 oz/a	PRE	207		99.0	99.0	27.20	26.7	7612
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	303		99.0	99.0	21.30	20.9	5961
	STRONGARM	84	WG	0.225 oz/a	PRE	401		99.0	99.0	23.80	23.3	6660
	CADRE	2	AS	4.0 oz/a	POST							
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
		Mean =						99.0	99.0	24.10	23.6	6744
10	PROWL H20	3.8	EC	32.0 oz/a	PPI	110		99.0	99.0	19.40	19.0	5429
	VALOR EZ	4.0	SC	3.0 oz/a	PRE	211		99.0	99.0	25.00	24.5	6996
	STRONGARM	84	WG	0.225 oz/a	PRE	312		99.0	99.0	23.50	23.0	6576
	CADRE	2	AS	4.0 oz/a	POST	406		99.0	99.0	24.80	24.3	6940
	COBRA	2	EC	12.5 oz/a	POST							
	BUTYRAC 200	2	SL	16.0 oz/a	POST							
	DUAL MAGNUM	7.62	EC	16.0 oz/a	POST							
		Mean =						99.0	99.0	23.18	22.7	6485
	11	PROWL H20	3.8	EC	32.0 oz/a	PRE	111		99.0	99.0	21.80	21.4
VALOR EZ		4.0	SC	3.0 oz/a	PRE	210		99.0	99.0	25.10	24.6	7024
STRONGARM		84	WG	0.225 oz/a	PRE	305		99.0	99.0	22.70	22.2	6353
CADRE		2	AS	4.0 oz/a	POST	409		99.0	99.0	20.40	20.0	5709
COBRA		2	EC	12.5 oz/a	POST							
BUTYRAC 200		2	SL	16.0 oz/a	POST							
DUAL MAGNUM		7.62	EC	16.0 oz/a	POST							
		Mean =						99.0	99.0	22.50	22.1	6297
12		NTC					112		0.0	0.0	0.00	0.0
						208		0.0	0.0	0.00	0.0	0
						310		0.0	0.0	0.00	0.0	0
						403		0.0	0.0	0.00	0.0	0
						Mean =		0.0	0.0	0.00	0.0	0

University of Georgia

PROWL/BRAKE WEED CONTROL PROGRAMS FOR PEANUT			
Trial ID:	PE-07-25	Study Dir.:	K. BRISCO
Location:	PONDER FARM	Investigator:	Eric P. Prostko
Rating Unit % = PERCENT ARM Action Codes T1 = [53]*0.98 TY2 = 285.56*[54]			